

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

240001, 240084, 240036 List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

TTY OF STOXT
Public Water Supply Name

Please	Answer the Following Questions Regarding the Consumer Confid	ence Report
13	Customers were informed of availability of CCR by: (Attach copy	of publication, water bill or other)
	Advertisement in local paper On water bills Other AS MAIL OUT	US, POST OFICE 2110 Pass ROAD
,	Date customers were informed: 6 124/110	BRLOXE MS, 39531
	CCR was distributed by mail or other direct delivery. Spe Date Mailed/Distributed: 6/18/10 CCR was published in local newspaper. (Attach copy of publishe Name of Newspaper: BAY PRESS Date Published: 6/24/10	U.S. POST OFICE 135 MAIN STREET BILOXI MS, 39530 POSTED ON 6/30/10
Ü.	CCR was posted in public places. (Attach list of locations)	
/	Date Posted: <u>6/30/10</u>	
	CCR was posted on a publicly accessible internet site at the address	s: www. BTLOXI, MS, US
CERT	IFICATION	
the for consiste Departr	y certify that a consumer confidence report (CCR) has been distributed and manner identified above. I further certify that the information with the water quality monitoring data provided to the public of Health, Bureau of Public Water Supply. Title (President, Mayor, Owner, etc.) Mail Completed Form to: Bureau of Public Water Supply	tion included in this CCR is true and correct and is ic water system officials by the Mississippi State
	Phone: 601-576-7518)

2010 JUN -2 AM 7: 26

2009 Annual Drinking Water Quality Report City of Biloxi PWS#: 0240001, 0240036 & 0240084 May 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Pascagoula Formation, Graham Ferry Formation and the Miocene Series Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request.

The wells for the City of Biloxi PWS ID#: 240001 have received a moderate susceptibility ranking to contamination; the wells for PWS ID#: 240036 have received moderate to higher susceptibility rankings to contamination; the wells for PWS ID #: 240084 have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Richard Sullivan at 228-435-6271. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first, third, and fourth Tuesdays of each month at 1:30 PM at the Biloxi City Hall at 140 Lameuse Street.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10.000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:	: 024000)1	\mathbf{T}	EST RESUL	TS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contar	ninants						
10. Barium	N	2009	.003	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natura deposits
13. Chromium	N	2009	1.7	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2005/07*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	N	2009	.377	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2005/07*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfecti	on By-P	roducts	3					
81. HAA5	N	2009	10	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2009	17.56	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2009	1.19	.44 – 1.19	ppm	0	MDRL = 4	Water additive used to control microbes

PWS ID#:	024003	36	Tl	EST RESUL	TS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contar	ninants						
10. Barium	N	2008*	.008	.001008	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	.8	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.335	.309335	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectio	n By-P	roducts	3					
81. HAA5	N	2009	11.66	10 - 20	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2009	23.43	9.51 – 28.15	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2009	1.79	1.04 – 1.79	ppm	0	MDRL = 4	Water additive used to control microbes

PWS ID#:	024000)4		EST RESU				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Radioactiv	ve Cont	aminan	its					
5. Alpha emitters	N	2008*	.37	.1637	pCi/L	0	15	Erosion of natural deposits
6. Radium 226 Radium 228	N	2008*	.421 .419	.167421 .011419	pCi/1	0	5	Erosion of natural deposits
7. Uranium ¹	N	2008*	.37	.1637	ug/L	0'	30'	Erosion of natural deposits
Inorganic	Contai	ninants						
10. Barium	N	2008*	.006	.0206	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	2	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	Ν	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.357	.159357	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	.9	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-I	Products	<u> </u>					
81. HAA5	N	2008*	10	No Range	ppb	0	6	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2008*	51.51	No Range	ppb	0	8	By-product of drinking water chlorination.
Chlorine	N	2009	1.54	.41 1.54	ppm	0	MDRL =	4 Water additive used to control

^{*} Most recent sample. No sample required for 2009

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The City of Biloxi works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.



Annual Report on the Quality of Drinking Water

Public Water Systems 0240001, 0240036 & 0240084

To: City of Biloxi water customers From: City of Biloxi

We are pleased to present the Annual Report on the Quality of Drinking Water, and we're proud to notify you that this latest assessment of the city's water systems shows that the drinking water your city is providing you on a daily basis either meets or exceeds all federal and state requirements.

Your drinking water is indeed safe.

This report provides detailed information on the quality of water and related services, and determines the overall susceptibility that the source of our water faces from identified potential contaminants. The report also advises you of our ongoing efforts to improve the water-treatment process and protect our community's water resources.

We are committed to ensuring the quality of the water we provide to you. Our supply of water, by the way, originates from wells that draw from the Pascagoula Formation, Graham Ferry Formation and the Miocene Series Aquifer.

We have learned through our monitoring and testing that some constituents have been detected; however, the Environmental Protection Agency has determined that the levels detected pose no health risk.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided in the accompanying chart. A report containing detailed information on how the susceptibility determinations were made is available for viewing upon request.

The wells for the City of Biloxi PWS ID#: 240001 have received a moderate susceptibility ranking to contamination; the wells for PWS ID#: 240036 have received moderate to higher susceptibility rankings to contamination; the wells for PWS ID #: 240084 have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Richard Sullivan at 228-435-6271. You may also attend a City Council meeting on either the first, third, or fourth Tuesday of each month at 1:30 p.m. at the Biloxi City Hall, 140 Lameuse Street.

We routinely monitor for constituents in your drinking water according to federal and state laws. The accompanying tables list all of the drinking water contaminants that we detected for testing conducted between Jan. 1 to Dec. 31, 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results.

As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive

contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems.

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

As you can see by the accompanying table, our system had no contaminant violations.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples before the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons – such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants – can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

Bil	oxi Water Well Li	sting
Health Dept Tag N	lo Facility Name	Street Address
240001-01	Mople Street	162 Mople St
240001-04	Hospital Water Well	1123 Boyview Ave
240001-05	Greater Ave	1880 Greater Ave
240001-06	Porter Ave	1082 trish Hill Or
240001-07	New Bay Vista	2491 Pass Road
240001-09	Old Bay Vista	2434 Bay Visto Dr
240001-10	Bradford St Well	768 Bradford St
240001-11	Debuys Water Well	262 Debuys Rd
240001-12	Kohn St	199 Kuhn Street
240001-13	Iberville	205 lberville Or
240001-14	Park Circle Water Well	345 Pork Dr
240001-15	Father Ryon	1352 Fother Ryan Ave
240001-16	Pine Street Well	129 Pine St
240001-17	Tullis	369 Beach Blvd
240001-18	Lokeview	364 takeview
240036-02	North Rivervue	11186 N Riviere Vue Dr
240036-03	Ooklown	9339 Oaklown Dr
240036-04	North Ocklown	12351 N Ooklown Dr
240036-05	Hwy. 67 & Oaklawn	Hwy. 67 & Ooklown Dr
240084-01	Rustwood	2181 Rustwood Dr
240084-04	South Hill	1991 South Hill Dr
240084-05	N Biloxi #1	2145 Popp's Ferry Rd
240084-06	Vee Street	Vee Street
240084-07	Cedor Loke Subdivision	11412 Penton Dr
240084-08	Biloxi Sports Complex	765 Wells Dr

Here are definitions of some of the terms and abbreviations in the charts:

- Action Level The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Maximum Contaminant Level (MCL) The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG) The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- Parts per million (ppm) or Milligrams per liter (mg/l) – One part per million corresponds to one minute in two years or a single penny in \$10,000.
- Parts per billion (ppb) or Micrograms per liter —
 One part per billion corresponds to one minute in
 2,000 years, or a single penny in \$10,000,000.
- Picocuries per liter (pCi/L) Picocuries per liter is a measure of the radioactivity in water.

Test Results of City of Biloxi Public Water Systems 0240001, 0240036 & 0240084

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	WCI	Likely Source of Contamination
Inorganic Co	ntaminant	s						
10. Barium	N	2009	.003	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	H	2009	1.7	No Ronge	ррь	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	H	2005/07*	.)	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride**	H	2009	.377	No Ronge	ррап	4	4	Erosion of natural deposits, water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Leod	N	2005/07*	4	0	ррь	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	By-Produc	cts						
81, HAAS	Н	2009	10	No Range	ppb	0	60	By Product of drinking water disinfection.
82. TTHM (Total triholomethanes)	H	2009	17.56	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2009	1.19	.44 1.19	ppm	0	MORL = 4	Water additive used to control microbes

		Pul	and the second s					
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic C	ontaminan	ts						
10. Barium	N	2008*	.008	.001 — 100.	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	.8	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.335	.309335	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	n By-Produ	cts						
81. HAA5	N	2009	11.66	10 — 20	ppb	0	60	By-Product of drinking water disinfection
82. TTHM [Total trihalomethanes]	N	2009	23.43	9.51 – 28.15	ppb	0	80	By-product of drinking water chlorination
Chlorine Chlorine	N	2009	1.79	1.04 - 1.79	ppm	0	MDRL = 4	Water additive used to control microb

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples	Unit Measurement	MCLG	MCL	Likely Source of Contamination
	1/N	Conecieu	Detecteu	Exceeding MCL/ACL	meusoi emem			Contamination
Radioactive	Contamina	ants						#
5. Alpha emitters	N	2008*	.37	.16 — .37	pCi/L	0	15	Erosion of natural deposits
6. Radium 226	N	2008*	.421	.167 – .421	pCi/1	0	5	Erosion of natural deposits
Radium 228			.419	.011 <i></i> 419				*
7. Uranium¹	N	2008*	.37	.16 — .37	ug/L	0,	30¹	Erosion of natural deposits
Inorganic C	ontaminan	ts				***************************************		
10. Barium	N	2008*	.006	.02 — .06	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	2	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.357	.159357	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	4	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	.9	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-Produ	cts						
81. HAA5	N	2008*	10	No Range	ppb	0	60	By-Product of drinking water disinfection
82. TTHM [Total trihalomethanes]	N 1	2008*	51.51	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	. N	2009	1.54	.41 – 1.54	ppm	0	MDRL = 4	Water additive used to control microb

^{*}Most recent sample. No sample required for 2009.

PROOF OF PUBLICATION

P.O. BOX 1209 BILOXI, MS 39533

STATE OF MISSISSIPPI COUNTY OF HARRISON

Before me, the undersigned Notary Public of Harrison County, Mississippi, personally appeared <u>VICKI L. FOX</u> who, being by me first duly sworn, did depose and say that she is a clerk of **THE BILOXI- D'IBERVILLE PRESS** newspaper published in Harrison County, Mississippi, and that publication of the notice, a copy of which is hereto attached, has been made in said paper 1 time in the following numbers and on the following dates of such paper, viz:

Vol. <u>38</u> No. <u>11</u> dated the <u>24</u> day of <u>June</u>, 2010

Affiant further states on oath that said newspaper has been established and published continuously in said county for a period of more than twelve months next prior to the first publication of said notice.

Clerk

Sworn to and subscribed before me this the <u>25th</u> day of <u>June</u>, 2010.

NOTARY PUBLIC

(SEAL)

ID No
26373

NOTARY PUBLIC
Comm Expires
June 23, 2013

Printer's Fee: \$ 1108.00

Furnishing proof of Publication:

\$____

P.O. # 20104751

Total Cost:

1108.00

Public Notice

June 2010

Annual Report on the Quality of Drinking Water

To: City of Biloxiwater customers From: City of Bilixi

From: Gity of Blust

We are pleased to present the Annual Report on the Quality of Drinking Water, and we're prouded notify you that this latert assessment of the city's water systems shows that the dinking water your city is providing you on a daily basis either meets or exceed all fe ; all and state equivaments.

Your drinking are is indeed safe.

This report provides detailed Information on the quality of water and related services, and determines; ie overall asceptibility that the source of our water faces from identified poterial contaminants. The report also advices you of our ongoing efforts to improve the water estemater process and protect our community's water resources. We are comsisted to ensuring the quality of the water we provide to you. Our supply of water by the way originates from wells that draw from the Psacagoular Formation, Grham Ferry Fornation and the Miocene Series Aquifer.

We have leaned through our monitoring and testing that some constituents have been detected; havever, the Environmental Protection Agency has determined that the levels detected poor no health risk.

The source was assessment has been completed for our public water system to

We have leaned through our incoitoring and testing that some constituents have been detected however, the Brivoinnental Protection Agency has determined that the levels detected pose no health risk.

The source were assessment has been completed for our public water system to determine the orgall asceptibility of its drinking water supply to identified potential somes of continuation. The spent asceptibility ranking assigned to each well of this system are profised in the accompanying chair. A report containing detailed information on how the acceptability determinations were made is available for viewing upon request. The west for the City of Bloot PWS ID 240001 have received as moderate susceptibility marking to commanisation; the wells for PWS ID 240036 have received in incidents to higher assceptibility marking to contamination, the wells for PWS ID 240036 have received shower to moderate susceptibility marking to contamination, the wells for PWS ID 240036 have received moderate for the profit of the prof

Test Results of City of Biloxi Public Water Systems 0240001, 0240036 & 0240084

- Here are definitions of some of the terms and abbreviations in the charts:

 Action Level The concentration of a contaminant which, if exceeded, triggers treatment or other requirements.
- Action Level The concentration of a contaminant which, if exceeded, triggers treatment operator requirements which a water system must follow.
 Maximum Contaminant Level (MCL) The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set a close to the MCLGs as feasible using the best available treatment technology.
 Maximum Contaminant Level (Goal (MCLG) The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
 Parts per million (ppm) or Milligrams per liter (mgfl) One part per million corresponds to one minute in two years or a single perny in \$10,000.
 Parts per billion (pph) or Micrograms per liter One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000.
 Piccuries ber liter (pCUL) Piccouries per liter is a measure of the radioactivity in water.

- Picocuries per liter (pCi/L) Picocuries per liter is a measure of the radioactivity in water.

Costaminani	Violation Y/N	Date Collected	Level Dejected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCI	Likely Source of Contamination
Inorganic	Contami	nants						
10. Borism	¥	2009	003	No Ecrope	eym.	2	1	Discharge of drilling works; decharge from metal reliaes erosion of natural deposits
13 Chromison	н	2009	YJ.	No Ronge	ppb.	100	100	Discharge freet steel end pot mills; erasion of natural dep
14: Copper	N	2005/071	1	0	bbu)	13	Al=1.3	Correction of household plants systems; erosion of natural de leaching from wood preserve
16. Flooride**	N	2009	317	Ro Rasge	Para	1	4	Erosion of material deposits, a méditive which promotes stre discharge from fertilitate and aluminum factories
17. Lood	X	2005/07*	4	0	beg.	.0	M=12	Corresion of household plum systems, existen of natural d
Disinfect	ion By-Pi	oducts						
BI HUAS	9	2009	10	No Resign	ppb	0	.60	By Product of divisions water deal
82. TTHM (Total tribalometh		2009	17.56	Ho Rooge	làp .	0	80	By graded of drinking wate chlorisotion.
Oworine	N .	2009	1.19	44 -1,19	ppte	0	MORT = 4	Water additive used to contro

Public Water System 240036 & Test Results
1 15 Let Day Lovel Rome of Detects Unit MCIG MCI Likely Source of
Contaminant Violation Date Level Range of Detects Unit MCIG MCI Likely Source of
Y/N Collected Detected or # of Samples Measurement Contamination
Exceeding MC/ACL

As you can see by the eccompanying table, our system had no contaminant violations. We are required to menitor your drinking water for specific constituents on a morthly basis. Results of regular monitoring are an indicator of whether our drinking water meets that'd standards. Beginting Jamuary 1, 2004, the Missispay biase Department of Health (MSDH) required public water systems that use chlorine as a primary dissingerizant to monitorities for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. We did complete the monitoring requirements for stateriological sampling that showed no colliform present. In an effort to ensure systems complete all monitoring requirements, MSDM now notifies systems of any missing samples before the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in chinching water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components.

When your water has been aiting for several hour, you can minimize the potential of lead exposure by healthy your op for 30 seconds to 2 minimic before using water for drinking or cooking. I you are concerned about lead in your water, you may wish to have your water treated. Information on lead in drinking water; their lands water of minimic exposure is available from the Safe Drinking Water Holline or at hurty-low-weap application on lead in drinking water the total many propositions of the safe to minimic exposure is available from the Safe Drinking Water Holline or at hurty-low-weap application on lead in drinking water the safe and the safe to minimic exposure is available from the Safe Drinking Water Holline at a hurty-low-weap application on lead in drinking water than made. These substances, All drinking water, including bouled water, may reas

	loxi Water Well	
		Man Men
240001-01	Mople Street	162 Maple St
240001-04	Hospital Water Well	1123 Bayriew Ave
240001-05	Greater Ave	1880 Greater Ave
240001-06	Porter Ave	1082 trish Hill Dr
240001-07	New Bay Vista	2491 Pass Road
240001-09	Old Bay Vista	2434 Bay Visto Dr
240001-10	Bradford St Well	768 Brodford St
240001-11	Debuys Water Well	262 Debuys Rd
240001-12	Kulan St	199 Kuhn Street
240001-13	Iberville	205 Iberville Dr
240001-14	Pork Orde Water Well	345 Park Dr
240001-15	Father Ryan	1352 Father Ryon Ave
240001-16	Pine Street Well	129 Pine St
240001-17	Tulks	369 Beach Blvd
240001-18	Lokeview	364 Lokeview
240036-02	North Rivervue	11186 N Riviere Vue D
240036-03	Ooklown	9839 Oaklayn Dr
240036-04	North Daklown	12351 N Ooklows Dr
240036-05	Hwy. 67 & Oaklawn	Hwy, 67 & Ocklown Dr
240084-01	Rustwood	2181 Rustwood Dr
240084-04	South Hill	1991 South Hill Dr
240084-05	N Biloxi #1	2145 Popp's Ferry Rd
24008406	Vee Street	Vea Street
240084-07	Cedar Lake Subdivision	11412 Penton Dr
240084-08	Bilaxi Sports Complex	765 Wells Dr

Products	11.66 23.43	10 - 20 9.51 - 28.15	gob sok	0	40 80	system, ecolor of entered de Systematical desiring scale of Systematical desiring scale
						system, erosion of natural d
		0	pob	0	AL-15	Corresion of household place
2004	335	309 - 335	NA.			tresion of natural deposits of additive which proceeds strong discharge from Sertilizar and abunicatin factories
20081	.1	1	(Ont	la .	*Mal3	Correspon of household plumps systems; provides of statutes of hearings from second preserves
2004*		Kritoge	pph	100	100	Discharge little steel god go milk, arouse al actival dep
	\$0081	2008° J	poer J a	7005 J S per	.) Toolf I is god Li	.)

200								
Contaminant	Violation Y/N	Date CoBerted	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MC	Likely Source of Contemination
Radioactiv	ve Contar	ninants						
5. Alpho emitters	1	5009,	.37	.1637	pQ/L	0	15	Erusion of natural deposits
6. Rodion 226 Rodion 228	N	2008'	.421 .419	.167421 .011419	MOV)	0	5	Existing of natural disposits
7. Uroekioi'	H	2008,	Ŋ	.1637	wΛ	B,	30'	Erosige of natural deposits
Inorganic	Contami	nants						
10. Borlum	N	20081	.004	.0204	ppin	7	1	Discharge of drilling wortes, discharge from metal reliner erosion of natural deposits
13, Ocardon	¥	2008*	1	No Range	ppb	100	100	Discharge from steel and puly erosion of national deposits
14. Copper	N	2008*	1)	API	1.3	AL»).3	Correction of thousehold plums systems; erosion of notional di leaching from wood preserva
16. Flooride	1	2008*	357	.159 - 357	Men	1	1	Exession of natural deposits in additive which promotes stress discharge from fertilizer and aduntment factories
17. Lead	H	20081	1	0	90b	0	AL=15	Corresion of household plans systems, presion of natural d
21, Selecium	H	20081	1	No Range	ggb	50	50	Discharge from petroleum or metal refineries; ecosion of d deposits; discharge from mio
Disinfecti	on By-Pr							
\$1. HAAS	1	2008*	10	Ho Ronge	pp)	0	60	By Product of drinking water o
82. TINA Tistel tribelocathe	as)	20081	51.51	He Range	ppb	0	80	By-product of drinking water chloringsion.
Chlorine	¥	2009	1.54	.41 1.54	pper	0	MORL = 4	Worse additive used to control

Mayor A.J. Holloway and the Biloxi City Council George Lawrence • William "Bill" Stallworth • Lucy Denton Clark Griffith • Tom Wall • Edward "Ed" Gemmill • David Fayard



Turn your email into Bmail. Sign up at biloxi.ms.us for the most current news about your c